



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME II.

(New names and final members of new combinations are in **heavy-face type**.)

- Abnormal and normal permeability, 93
 Absorption of ions by living and dead roots, 250
Achlya prolifica, 562; *racemosa*, 541
Agropyron sericeum, 309
Agrostis exarata ampla, 303; *exarata microphylla*, 303; *exigua*, 303; *Schiedeana*, 304
 Algae, fixative and stain for, 89
 Anatomy of a hybrid Equisetum, 225
 Anatomy of the Malvales, 238
 Anatomical study of Gymnosporangium galls, 402
 Ancestry of Angiosperms, 1
Andropogon stolonifer, 299
 Angiosperms, phylogeny, ancestry, and early climatic environment of, 1
 Apple, host of Coniothryium, 449
 Arabin, as source of carbon, 382
 Arabinose, as source of carbon, 382
Aristida adscensionis, 301
 Ascospore expulsion of *Endothia parasitica*, 429; traps, 430
 Asteraceae, embracing Espeletia, 468
 Auxanometer, a simplified precision, 95
- BAILEY, IRVING W. (See Sinnott, Edmund W., 1)
 BARTLETT, HARLEY HARRIS. (See True, R. H. 255; 311); The mutations of *Oenothera stenomeres*, 100; The experimental study of genetic relationships, 132
 BESSEY, CHARLES EDWIN, life and work of, 505
 Bibliography of writings of Charles Edwin Bessey, 512
 Biological spectrum of flora of New York, 27
- Birds, dissemination of spores of chestnut blight fungus by, 167
 Botryodiplodia, probable non-validity of, 324
 BOVIE, W. T. A simplified precision auxanometer, 95
 BROWN, WILLIAM H. The development of *Pyronema confluens* var. *inigneum*, 289
 Brown-rot fungus, effects of, upon the composition of the peach, 71
- Calamagrostis scabra*, 304
 Calcium hypochlorite as a seed sterilizer, 420
 Calcium nitrate, experiments with, 261, 312, 316; sulphate, experiments with, 264
 CAMPBELL, DOUGLAS HOUGHTON. The morphology and systematic position of *Podomitrium*, 199
Campulosus floridanus, 306
 CANNON, W. A. On the relation of root growth and development to the temperature and aeration of the soil, 211
Castela galapageia, notes on the forms of, 279; f. *albemarlensis*, 280; f. *bindloensis*, 283; f. *carolensis*, 284; f. *duncanensis*, 286; f. *jacobensis*, 287
Chaetochloa lutescens, 299
 Chaetodiplodia, probable non-validity of, 324
 Chamaephytes, 24
 Chestnut blight fungus, 162; 429
 CLAUSEN, R. E. (See Goodspeed, T. H., 332)
 Climatic distribution of foliar types, 15
 Climatic environment, early, of Angiosperms, 1

- COLLEY, REGINALD H. (See Curtis, Otis F., 89)
- Color phenomena in *Coniothyrium*, 465
- Coniothyrium pirinum*, dimorphism in, 449
- CRABILL, C. H. Dimorphism in *Coniothyrium pirinum* Sheldon, 449
- Culture of *Pyronema*, 289
- CURTIS, OTIS F. and COLLEY, REGINALD H. Picro-nigrosin, a combination fixative and stain for algae, 89
- Danthonia Cusickii*, 305; **Macounii**, 305
- Development of *Pyronema confluens* var. *inigeum*, 289
- Development, on the relation of, to temperature and aeration of the soil, 211
- Dimorphism in *Coniothyrium pirinum*, 000
- Diplodia, characters of genus, 329
- Diplodia gossypii*, 326; *natalensis*, 326; *tubericola*, 328
- Diplodiella, probable non-validity of, 324
- Distilled water, the toxicity of, 389
- Durio zibethinus*, transverse section, 246
- EHLERS, JOHN H. The temperature of leaves of *Pinus* in winter, 32
- Endothia parasitica*, 162; 429
- Equisetum, hybrid, on the anatomy of, 225
- Equisetum variegatum*, var. *Jesupi*, 225
- Eragrostis Barrelieri*, 308; *cilianensis*, 309; **floridana**, 308
- Espeletia argentea*, 477; *banksiaefolia*, 471; *bracteosa*, 484; *corymbosa*, 484; **floccosa**, 481; *funckii*, 485; *grandiflora*, 474; **grisea**, 477; *jahnii*, 479; *lindenii*, 483; *moritziana*, 472; *neriifolia*, 472; **paltionioides**, 482; **pannosa**, 480; *schultzei*, 475; *spicata*, 479; *weddellii*, 473
- Excretions, toxic, by roots, 396
- Expressed vegetable saps, osmotic pressure of, 418
- Factors influencing flower size in *Nicotiana* with special reference to questions of inheritance, 332
- Fagus grandifolia*, transverse section, 246
- Fixative and stain for algae, 89
- Flora of New York and vicinity, 23
- Floral parts in Angiosperms, 8
- Foliar evidence as to ancestry of Angiosperms, 1
- Foliar evolution, 13
- FORSAITH, C. C. Some features in the anatomy of the Malvales, 238
- Fouquieria splendens*, daily growth rate of roots, 220; hourly growth rate of roots, 221
- Fremontia californica*, transverse section, 246
- FROMME, F. D. Negative heliotropism of urediniospore germ tubes, 82
- Galls of Gymnosporangium, anatomical study of, 402
- GATES, FRANK C. A woody stem in *Merremia gemella* induced by high warm water, 86
- GATES, R. RUGGLES. Heredity and mutation as cell phenomena, 519
- Genetic relationships, experimental study of, 132
- Genetic relationship of parasites, 116
- Geophytes, 24
- Germ-tubes of urediniospores, 82
- Glomerella cingulata*, utilization of pentoses by, 375
- Glucose, as source of carbon, 382
- Gnetum, morphology of, 161
- GOODSPEED, T. H. and CLAUSEN, R. E. Factors influencing flower size in *Nicotiana* with special reference to questions of inheritance, 332
- Grasses, new or noteworthy, 299
- GREENMAN, J. M. Morphology as a factor in determining relationships, 111
- Growth-forms of the flora of New York and vicinity, 23
- Gymnopogon Chapmanianus*, 306

- Gymnosporangium galls, anatomical study of, 402
- Gymnosporangium globosum*, galls of, 411;
- juniperi-virginianae*, galls of, 402
- HARRIS, J. ARTHUR. An extension to 5.99° of tables to determine the osmotic pressure of expressed vegetable saps from the depression of the freezing point, 418
- HAWKINS, LON A. Some effects of the brown-rot fungus upon the composition of the peach, 71; The utilization of certain pentoses and compounds of pentoses by *Glomerella cingulata*, 375
- HEALD, F. D. and STUDHALTER, R. A. Seasonal duration of ascospore expulsion of *Endothia parasitica*, 429
- Heliotropism, negative, of urediniospore germ tubes, 82
- Helophytes, 25
- Hemicryptophytes, 24
- Heredity and mutation as cell phenomena, 519
- HIBBARD, R. P. The question of the toxicity of distilled water, 389
- Hibiscus tiliaceus*, transverse section, 246
- HITCHCOCK, A. S. New or noteworthy grasses, 299
- Holcus halepensis*, 299; *sorghum*, 299
- HOLDEN, RUTH. The anatomy of a hybrid Equisetum, 225
- HUBBARD, F. TRACY. A taxonomic study of *Setaria italica* and its immediate allies, 169
- Hybrid Equisetum, on the anatomy of, 225
- Hypochlorite of calcium as a seed sterilizer, 420
- Inheritance in Nicotiana, 332
- Ions, absorption of, by living and dead roots, 250
- Ions, exchange of, between roots of *Lupinus albus* and culture solutions, containing one nutrient salt, 255; containing two nutrient salts, 311
- JOHNSON, H. V. The absorption of ions by living and dead roots, 250
- KERN, FRANK DUNN. The genetic relationship of parasites, 116
- Lasiodiplodia, probable non-validity of, 324
- Lasiodiplodia tubericola*, 326; *theobromae*, 326
- Leaves of Pinus in winter, temperature of, 32
- Lupinus albus*, use of in distilled water experiments, 391
- Lupinus albus*, exchange of ions between the roots of, and culture solutions, 255; 311
- Magnesium nitrate, experiments with, 266, 316; sulphate, experiments with, 268
- Malvales, anatomy of, 238
- Manisuris*, 299; *fasciculata*, 299
- Merremia gemella*, a woody stem of, induced by high warm water, 86
- Millets, 196; 197
- Morphology and systematic position of Podomitrium, 199
- Morphology as a factor in determining relationships, 111
- Morphology of Gnetum, 161
- MUENSCHER, WALTER L. C. A study of the relation of transpiration to the size and number of stomata, 486
- Mutation and heredity as cell phenomena, 519
- Mutations of *Oenothera stenomeris*, 100
- New or noteworthy grasses, 299
- New York and vicinity, flora of, 23
- Nicotiana, factors influencing flower size of, 332
- Nicotiana Tabacum* vars. × *N. sylvestris*, 334; var. *macrophyllum*, 334; flower size of and factors influencing, 332
- Node in Angiosperms, 5
- Normal and abnormal permeability, 93

- Notes on the form: of *Castela Galapageia*, 279
Notholsus mollis, 304
 Nutrient solution for plants, 157; agar, 449

Oenothera stenomeris, mutations of, 100
Oenothera stenomeris mut. *gigas*, 104; 108; mut. *lasiopetala*, 101; 102; f. *typica*, 108
Opuntia versicolor, daily growth rate of roots, 220
Orcuttia californica, 308
 Osmotic pressure, tables to determine, 418
 OSTERHOUT, W. J. V. Normal and abnormal permeability, 93

 Palaeobotanical evidence, 4
Panicularia erecta, 309
Pappophorum bicolor, 308
 Parasites, genetic relationship of, 116
 Peach, some effects of the brown-rot fungus upon the composition of, 71
Pennisetum glaucum, 300
 Pentoses, utilization of, by *Glomerella cingulata*, 375
 Permeability, normal and abnormal, 93
 Pfister, use of picro-nigrosin, 89
 Phanerophytes, 24
 Photosynthesis at low temperatures, 37; in winter, 64
 Phylogenetic evidence, 10; conclusions, 18
 Phylogeny of Angiosperms, 1
 Pinus, leaves in winter, temperature of, 32
 Picro-nigrosin, 89
 PIETERS, ADRIAN J. The relation between vegetative vigor and reproduction in some Saprolegniaceae, 529
 Plus and minus strains, 449
Poa Merrillana, 309; *Wrightii*, 309
Podomitrium Malaccense, 199; 200
 Podomitrium, morphology and systematic position of, 199
 POOL, RAYMOND J. A brief sketch of the life and work of Charles Edwin Bessey, 505
 Potassium chloride, experiments with, 275; dihydrogen phosphate, 273; nitrate, 270, 312, 320; sulphate, 272
 Precision auxanometer, 95
 Preliminary note on the morphology of *Gnetum*, 161
Prosopis velutina, daily growth rates of roots, 220; hourly growth rate of roots, 221
Puccinia Rhamni, urediniospores of, 82, 83, 84
 Pycnospores of chestnut blight fungus, 162
Pyronema confluens var. *inigeum*, development of, 289

 Raunkiaer, system of temperature factors, 23
 Relationships, genetic, experimental study of, 132
 Relationships, morphology as a factor in determining, 111
 Relationship of parasites, 116
 Reproduction, in some Saprolegniaceae, 529
 Reversions of Angiosperms, 9
 Root-growth, on the relation of, to the temperature and aeration of the soil, 211
 Roots, absorption of ions by, 250
Ryttilix granularis, 299

Saprolegnia ferax, 545; *monoica*, 557
 Saprolegniaceae, the relation between vegetative vigor and reproduction in some, 529
Sclerotinia cinerea, cause of brown-rot of peach, 71
 Seed sterilization, by calcium hypochlorite, 420; historical summary of methods, 420
 Seedling of Angiosperms, 8
Setaria italica and its immediate allies, a taxonomic study of, 169
Setaria italica subsp. *stramineofructa*,

- 188; f. *breviset*a, 189; subvar. *germanica*, 189; f. *mitis*, 190; var. *Hostii*, 190; subvar. *Metzgeri*, 191; f. *curtiseta*, 191; var. *brunneoseta*, 192; f. *brachychaeta*, 192; subvar. *densior*, 192; subsp. *rubrofructa*, 193; f. *gigas*, 193; subvar. *pabularis*, 193; var. *purpureoseta*, 194; subvar. *violacea*, 194; var. *rubra*, 194; f. *aurantiaca*, 195; subvar. *condensa*, 195; subsp. *nigrofructa*, 195; var. *atra*, 196
- SHIVE, JOHN W. A three-salt nutrient solution for plants, 157
- SINNOTT, EDMUND W. and BAILEY, IRVING W. Investigations on the phylogeny of the Angiosperms. 5. Foliar evidence as to the ancestry and early climatic environment of the Angiosperms, 1
- Sodium chloride, experiments with, 275
- Sphenopholis pennsylvanica*, 304
- Sporobolus contractus*, 303; *macrus*, 303
- Stain and fixative for algae, 89
- STANDLEY, PAUL C. The genus *Espelletia*, 468
- Starch agar, 449
- STEWART, ALBAN. An anatomical study of Gymnosporangium galls, 402; Notes on the forms of *Castela Galapageia*, 279
- Stipa lepida*, 302; *lepida Andersoni*, 303; *pulchra*, 301
- Stomata, relation of transpiration to size and number of, 486
- Strains, + and -, in *Coniothyrium*, 449
- STUDHALTER, R. A. (See Heald, F. D., 429)
- STUDHALTER, R. A. and HEALD, F. D. The persistence of viable pycnospores of the chestnut blight fungus on normal bark below lesions, 162
- Tables to determine osmotic pressure, 418
- TAUBENHAUS, J. J. The probable non-validity of the genera *Botryodiplodia*, *Diplodiella*, *Chaetodiplodia*, and *Lasiodiplodia*, 324
- Taxonomic study of *Setaria italica* and its immediate allies, 169
- TAYLOR, NORMAN. The growth-forms of the flora of New York and vicinity, 23
- Temperature of leaves of *Pinus* in winter, 32
- Therophytes, 25
- THOMPSON, W. P. Preliminary note on the morphology of *Gnetum*, 161
- Three-salt nutrient solution, 157
- Tilia americana*, transverse section, 246
- Torresia*, 300; *alpina*, 300; *macrophylla*, 300; *mexicana*, 301; *odorata*, 301; *pauciflora*, 301
- Toxicity of distilled water, 389
- Transpiration, relation of, to size and number of stomata, 486
- TRUE, RODNEY H. and BARTLETT, HARLEY HARRIS. The exchange of ions between the roots of *Lupinus albus* and culture solutions containing one nutrient salt, 255; The exchange of ions between the roots of *Lupinus albus* and culture solutions containing two nutrient salts, 311
- Urediniospore germ tubes, negative heliotropism of, 82
- Willkommia texana*, 307
- WILSON, JAMES K. Calcium hypochlorite as a seed sterilizer, 420